
INFO-H-415 - Advanced Databases Academic year 2013 – 2014

Session 2+3 - Active Databases (2+3 of 3)

Consider the following database schema:



In SQL Server, enforce the following constraints using a set of CHECK constraints, referential integrity constraints, or triggers.

- Exercise 1. The age of employees must be greater than 18.
- **Exercise 2.** The supervisor of an employee must be older than the employee.
- **Exercise 3.** The salary of an employee cannot be greater than the salary of his/her supervisor.
- **Exercise 4.** The manager of a department must be an employee of that department.
- **Exercise 5.** The location of a project must be one of the locations of its department.
- **Exercise 6.** The hire date of employees must be greater than their birth date.
- Exercise 7. A supervisor must be hired at least 1 year before every employee s/he supervises.
- Exercise 8. The attribute Department.NbrEmployees is a derived attribute from Employee.DNo.
- Exercise 9. An employee works at most in 4 projects.
- Exercise 10. An employee works at least 30h/week and at most 50 h/week on all its projects.
- Exercise 11. Among all employees working on a project, at most 2 can work for less than 10 hours.
- Exercise 12. Only department managers can work less than 5 hours on a project.
- Exercise 13. Employees that are not supervisors must work at least 10 hours on every project they work.
- Exercise 14. The manager of a department must work at least 5 hours on all projects controlled by the department.
- **Exercise 15.** The attribute Employee.SuperSSN is a derived attribute computed as follows. Department managers are supervised by the manager of Department 1 (Headquarters). Employees that are not managers are supervised by the manager of their department. Finally, the manager of Department 1 has a null value in attribute SuperSSN.
- **Exercise 16.** The supervision relationship defined by Employee.SuperSSN must not be cyclic. (It is supposed that attribute Employee.SuperSSN is not derived as stated above.)

Details of the database for the exercises

Table creation script

```
create table Employee (
  FName varchar(15) not null,
  MInit char(1).
  LName varchar(15) not null,
  SSN char(9) not null,
  BDate smalldatetime null,
  Address varchar(30),
  Sex char(1),
  Salary decimal(18,2),
  SuperSSN char(9),
  DNo int not null,
  HireDate smalldatetime null,
  constraint PK_Employee primary key (SSN),
  \verb|constraint FK_Employee_Employee for eign key (SuperSSN) references Employee (SSN), \\
create table Department (
  DName varchar(15) not null,
  DNumber int not null.
  MgrSSN char(9) not null,
  MgrStartDate smalldatetime,
  nbrEmployees int,
  constraint PK_Department primary key (DNumber),
  constraint FK_Department_Employee foreign key (MgrSSN) references Employee (SSN)
    on delete cascade on update cascade
alter table Employee
  add constraint FK_Employee_Department foreign key (DNo) references Department (DNumber)
create table Project (
  PName varchar(15) not null,
  PNumber int not null,
  PLocation varchar(15).
  DNumber int not null, constraint PK_Project primary key (PNumber), constraint FK_Project_Department foreign key (DNumber) references Department (DNumber)
create table DeptLocations
  DNumber int not null,
  DLocation varchar(15) not null,
  constraint PK_Dept_Locations primary key (DNumber, DLocation),
  constraint FK_Dept_Locations_Department foreign key (DNumber) references Department (DNumber)
create table Dependent (
  ESSN char(9) not null,
  DependentName varchar(15) not null,
  Sex char(1),
  BDate smalldatetime null,
  Relationship varchar(8),
  constraint PK_Dependent primary key (ESSN, DependentName),
  constraint FK_Dependent_Employee foreign key (ESSN) references Employee (SSN)
create table WorksOn (
  ESSN char(9) not null,
  PNo int not null,
  hours decimal(18,1) not null,
  constraint PK_WorksOn primary key (ESSN, PNo),
  constraint FK_WorksOn_Employee foreign key (ESSN) references Employee (SSN),
  constraint FK_WorksOn_Project foreign key (PNo) references Project (PNumber)
```

Initial data in the tables

Employee

| FName | MInit | LName | <u>SSN</u> | BDate | Address | Sex | Salary | SuperSSN | DNo | HireDate |
|----------|-------|---------|------------|------------|--------------------------|-----|--------|-----------|-----|------------|
| John | В | Smith | 123456789 | 09-05-1955 | 731 Fondren, Houston, TX | M | 30000 | 333445555 | 5 | 01-01-1985 |
| Franklin | T | Wong | 333445555 | 08-12-1945 | 638 Voss, Houston, TX | M | 40000 | 888665555 | 5 | 01-01-1982 |
| Alicia | J | Zelaya | 999887777 | 19-07-1958 | 3321 Castle, Spring, TX | F | 25000 | 987654321 | 4 | 01-01-1985 |
| Jennifer | S | Wallace | 987654321 | 20-06-1931 | 291 Berry, Bellaire, TX | F | 43000 | 888665555 | 4 | 01-01-1982 |
| Ramesh | K | Narayan | 666884444 | 15-09-1952 | 975 Fire Oak, Humble, TX | M | 38000 | 333445555 | 5 | 01-01-1985 |
| Joyce | A | English | 453453453 | 31-07-1962 | 5631 Rice, Houston, TX | F | 25000 | 333445555 | 5 | 01-01-1985 |
| Ahmad | V | Jabbar | 987987987 | 29-03-1959 | 980 Dallas, Houston, TX | M | 25000 | 987654321 | 4 | 01-01-1985 |
| James | A | Borg | 888665555 | 10-11-1927 | 450 Stone, Houston, TX | M | 55000 | | 1 | 01-01-1980 |

Department

| DName | <u>DNumber</u> | MgrSSN | MgrStartDate | nbrEmployees |
|----------------|----------------|-----------|--------------|--------------|
| Research | 5 | 333445555 | 22-05-1978 | 4 |
| Administration | 4 | 987654321 | 01-01-1985 | 3 |
| Headquarters | 1 | 888665555 | 19-06-1971 | 1 |

Project

| , | | | |
|-----------------|----------------|-----------|---------|
| PName | <u>PNumber</u> | PLocation | DNumber |
| ProductX | 1 | Bellaire | 5 |
| ProductY | 2 | Sugarland | 5 |
| ProductZ | 3 | Houston | 5 |
| Computerization | 10 | Stafford | 4 |
| Reorganization | 20 | Houston | 1 |
| Newbenefits | 30 | Stafford | 4 |
| | | | |

Dependent

| <u>DependentName</u> | Sex | BDate | Relationship |
|----------------------|--|--|--|
| Alice Theodore | F M | 05-04-1976 25-10-1973 | Daughter Son |
| Joy | F | 03-05-1948 | Spouse |
| Abner Michael | M M | 29-02-1932 01-01-1978 | Spouse Son |
| Alice | F | 31-12-1978 | Daughter Spouse |
| | Alice Theodore Joy Abner Michael | Alice F Theodore M Joy F Abner M Michael M Alice F | Alice F 05-04-1976 Theodore M 25-10-1973 Joy F 03-05-1948 Abner M 29-02-1932 Michael M 01-01-1978 Alice F 31-12-1978 |

DeptLocations

| - | |
|---------|------------------|
| DNumber | <u>DLocation</u> |
| 1 | Houston |
| 4 | Stafford |
| 5 | Bellaire |
| 5 | Sugarland |
| 5 | Houston |

WorksOn

| <u>ESSN</u> | <u>PNo</u> | Hours |
|-------------|------------|-------|
| 123456789 | 1 | 32.5 |
| 123456789 | 2 | 7.5 |
| 333445555 | 1 | 10 |
| 333445555 | 2 | 10 |
| 333445555 | 3 | 20 |
| 453453453 | 1 | 20 |
| 453453453 | 2 | 20 |
| 666884444 | 3 | 40 |
| 888665555 | 20 | 30.0 |
| 987654321 | 10 | 5.0 |
| 987654321 | 20 | 15.0 |
| 987654321 | 30 | 20.0 |
| 987987987 | 10 | 35.0 |
| 987987987 | 30 | 5.0 |
| 999887777 | 10 | 10.0 |
| 999887777 | 30 | 30.0 |

INFO-H-415 - Advanced Databases Academic year 2013 - 2014

Solutions for Session 2+3 - Active Databases (2+3 of 3)

➤ Solution to Exercise 1

"The age of employees must be greater than 18."

Using a CHECK constraint

```
alter table Employee
add constraint employee_Age18
check ( dateadd(year, 18, BDate) <= getdate() )

Using a trigger

create trigger age18
on Employee
after insert, update
as
if exists (
    select *
    from Inserted
    where dateadd(year, 18, BDate) > getdate() )

begin
    raiserror 13001 'Constraint Violation: The age of an employee
    must be greater than 18'
    rollback
end
```

➤ Solution to Exercise 2

 ${\it ``The supervisor of an employee must be older than the employee''}$

Using a trigger

```
create trigger supervisorAge
on Employee
after insert, update
as
if exists (
    select *
    from Inserted I,
        Employee E
    where ( I.SuperSSN = E.SSN and I.BDate > E.BDate )
        or ( E.SuperSSN = I.SSN and E.BDate > I.BDate ) )
begin
    raiserror 13002 'Constraint Violation:
        The age of an employee must be less than
        the age of his/her supervisor'
    rollback
end
```

"The salary of an employee cannot be greater than the salary of his/her supervisor."

Using a trigger

```
create trigger supervisorSalary
on Employee
after insert, update
as
if exists (
    select *
      from Inserted I,
           Employee E
     where ( I.SuperSSN = E.SSN and I.Salary > E.Salary )
        or ( E.SuperSSN = I.SSN and E.Salary > I.Salary ) )
begin
    raiserror 13003 'Constraint Violation:
        The salary of an employee cannot be greater than
        the salary of his/her supervisor'
    rollback
end
```

Solution to Exercise 4

"The manager of a department must be an employee of that department."

Using UNIQUE and foreign key constraints

```
alter table Employee
add constraint UN_Employee_SSN_DNo
unique( SSN, DNO )

alter table Department
add constraint FK_Employee_SSN_DNo
foreign key( MgrSSN, DNumber )
references Employee( SSN, DNo )
```

Solution to Exercise 5

"The location of a project must be one of the locations of its department."

Using a foreign key constraint

```
alter table Project
add constraint FK_Project_DeptLocations
foreign key( DNumber, PLocation )
references DeptLocations( DNumber, DLocation )
```

Solution to Exercise 6

"The hire date of employees must be greater than their birth date."

Using a CHECK key constraint

```
alter table Employee
add constraint HireDate_BDate
check( HireDate > BDate )
```

"A supervisor must be hired at least 1 year before every employee s/he supervises."

Using a trigger

```
create trigger hireSuperv
on Employee
after insert, update
as
if exists (
    select *
      from Inserted I,
           Employee E
     where ( I.SuperSSN = E.SSN and datediff(year, I.HireDate, E.HireDate) < 1 )
        or ( E.SuperSSN = I.SSN and datediff(year, E.HireDate, I.HireDate) < 1 ) )
begin
    raiserror 13007 'Constraint Violation:
        A supervisor must be hired at least 1 year before
        every employee s/he supervises'
    rollback
end
```

➤ Solution to Exercise 8

"The attribute Department.NbrEmployees is a derived attribute from Employee.DNo"

Using value deriving triggers

```
create trigger DeptNbrEmp_Employee_InsUpdDel_Derive
on Employee
after insert, update, delete
as
begin
    update Department D
       set NbrEmployees = (
              select count(*)
                from Employee E
               where E.DNo = D.DNumber)
     where D.DNumber in (
              select distinct I.DNo
                from Inserted I )
        or D.DNumber in (
              select distinct D.DNo
                from Deleted D )
end
```

Incremental version

"An employee works at most in 4 projects"

Using a trigger

```
create trigger empNbrProj
on WorksOn
after insert, update
as
if exists (
    select *
        from WorksOn W
        group by W.ESSN
        having count(*) > 4 )
begin
    raiserror 13009 'Constraint Violation: An employee works at
        most in 4 projects'
    rollback
end
```

➤ Solution to Exercise 10

"An employee works at least 30h/week and at most 50 h/week on all its projects"

Using a trigger

"A project can have at most 2 employees working on the project less than 10 hours"

Using a trigger

➤ Solution to Exercise 12

"Only department managers can work less than 5 hours on a project"

Using a set of triggers

```
create trigger worksonLess5h_WorksOn
on WorksOn
after insert, update
as
if exists ( select *
              from Inserted
             where Hours < 5
               and ESSN not in (
                          select MgrSSN
                            from Department
                           where MgrSSN is not null ) )
begin
    raiserror 13012 'Constraint Violation: Only department managers
        can work less than 5 hours on a project'
    rollback
end
create trigger worksonLess5h_Department
on Department
after update, delete
as
if exists ( select *
              from Deleted
             where MgrSSN not in (
                            select MgrSSN
                              from Department )
               and MgrSSN in (
                            select ESSN
                            from WorksOn
                            where Hours < 5 )
begin
    raiserror 13012 'Constraint Violation: Only department managers
        can work less than 5 hours on a project'
    rollback
end
```

"Employees that are not supervisors must work at least 10 hours on every project they work"

Using a set of triggers

```
create trigger workson10h_WorksOn
on WorksOn
after insert, update
as
if exists ( select *
              from Inserted
             where Hours < 10
               and ESSN not in (
                          select SuperSSN
                            from Employee
                           where SuperSSN is not null ) )
begin
    raiserror 13013 'Constraint Violation: Employees that are not supervisors
       must work at least 10 hours on every project they work'
    rollback
end
create trigger workson10h_Employee
on Employee
after update, delete
if exists ( select *
             from Deleted
             where SuperSSN not in (
                              select SuperSSN
                                from Employee
                               where SuperSSN is not null )
               and SuperSSN in (
                              select ESSN
                                from WorksOn
                               where Hours < 10 )
begin
    raiserror 13013 'Constraint Violation: Employees that are not supervisors
        must work at least 10 hours on every project they work'
    rollback
end
```

➤ Solution to Exercise 14

"The manager of a department must work at least 5 hours on all projects controlled by the department."

Using a set of triggers

```
create trigger mgrProj_Project
on Project
after insert, update
if exists ( select *
              from ( Project P join Department D on D.DNumber = P.DNumber )
                    left outer join WorksOn on MgrSSN = ESSN and PNumber = PNo
             where P.PNumber in ( select PNumber
                                      from Inserted )
               and ( Hours is null
                      or Hours < 5 )
begin
    raiserror 13014 'Constraint Violation: A manager must work at least 5 hours
        on all projects controlled by his/her department'
    rollback
end
create trigger mgrProj_WorksOn
on WorksOn
after update, delete
if exists ( select *
              from ( Department D join Project P on D.DNumber=P.DNumber)
                    left outer join WorksOn on MgrSSN = ESSN and PNumber = PNo
             where \mathbf{D}.\mathit{MgrSSN} in ( select \mathit{ESSN}
                                    from Deleted )
               and ( Hours is null
                      or Hours < 5 )
begin
    raiserror 13014 'Constraint Violation: A manager must work at least 5 hours
        on all projects controlled by his/her department'
    rollback
end
```

"The attribute **Employee**. SuperSSN is a derived attribute computed as follows. Department managers are supervised by the manager of Department 1 (Headquarters). Employees that are not managers are supervised by the manager of their department. Finally, the manager of Department 1 has a NULL value in attribute SuperSSN."

Using a set of triggers

```
create trigger derived_Employee_SuperSSN_Department
on Department
after insert, update
if update(MgrSSN)
begin
    update Employee
       set SuperSSN = (
                select case when SSN != D.MgrSSN
                                then D.MgrSSN
                            when SSN = D.MgrSSN and DNo != 1
                                then ( select MgrSSN
                                          from Department
                                        where DNumber = 1)
                            else
                                null
                            end
                  from Department D
                 where DNo = D.DNumber)
    -- if the department manager changes all employees of the department
    -- must be updated
```

```
where ( DNo in (
                 select DNumber
                   from Inserted ) )
    -- if the manager of department 1 changes, all department managers
    -- must be updated
        or ( 1 in (
                 select DNumber
                 from Inserted )
        and SSN in (
                 select MgrSSN
                 from Department ) )
end
create trigger derived_Employee_SuperSSN_Employee
on Employee
after insert, update
as
if update(DNo)
begin
    update Employee
       set SuperSSN = (
                    select case when SSN != MgrSSN
                                    then D.MgrSSN
                                 when SSN = MgrSSN and I.DNo != 1
                                    then ( select MgrSSN
                                             from Department
                                             where DNumber = 1 )
                                 else
                                     null
                                 end
                      from Inserted I,
                           Department D
                     where SSN = I.SSN
                       and I.DNo = D.DNumber )
     where SSN in (
                select SSN
                from Inserted )
end
```

 $\hbox{``The supervision relationship in {\it \bf Employee}. SuperSSN\ must\ not\ be\ cyclic''}$

Using a trigger

```
create trigger noncyclic_subordinates
on Employee
after insert, update
begin
    create table #Supervision (
        SSN char(9),
        SuperSSN char (9)
       primary key (SSN, SuperSSN) )
    insert into #Supervision
        select SSN, SuperSSN
          from Employee
         where SuperSSN is not null
    while QQrowcount != 0 -- while previous operation affected some rows
    begin
        if exists ( select *
                      from #Supervision
                     where SSN = SuperSSN)
```

```
begin
           raiserror 13016 'Constraint Violation: The supervision
               relationship is cyclic'
           rollback
        end
        insert into #Supervision
            select distinct S1.SSN, S2.SuperSSN
              from #Supervision S1 join #Supervision S2
                on S1.SuperSSN = S2.SSN
             where not exists (
                          select *
                           from #Supervision S
                          where S.SSN = S1.SSN
                             and S.SuperSSN = S2.SuperSSN )
    end
end
```